



HI-VALLEY CHEMICAL

LABORATORY PRODUCTS

1134 W. 850 N. CENTERVILLE, UT 84014
(801) 295-9591 Fax (801) 295-9448
www.hvchemical.com

SAFETY DATA SHEET

Hi Valley Chemical

Formaldehyde 37%

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Formaldehyde 37%
SDS Number: R-030
Product Code: 513046-PT, 513046-QT, 513046-1, 513046-5, 513046-30, 513046-55
Revision Date: 6/1/2016
Version: 1
CAS Number: 50-00-0
Supplier Details: High Valley Products, Inc.
1134 West 850 North
Centerville, Utah 84014
Emergency: PERS: 800-633-8253
Phone: 801-295-9591
Email: sales@hvchemical.com
Web: www.hvchemical.com

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

- Physical, Flammable Liquids, 4
- Health, Acute toxicity, 3 Oral
- Health, Acute toxicity, 3 Dermal
- Health, Skin corrosion/irritation, 1 B
- Health, Respiratory or skin sensitization, 1 Skin
- Health, Serious Eye Damage/Eye Irritation, 1
- Health, Acute toxicity, 3 Inhalation
- Health, Carcinogenicity, 2
- Health, Specific target organ toxicity - Single exposure, 1
- Environmental, Hazards to the aquatic environment - Acute, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **DANGER**

GHS Hazard Pictograms:



GHS Hazard Statements:

- H227 - Combustible liquid
- H301 - Toxic if swallowed
- H311 - Toxic in contact with skin
- H314 - Causes severe skin burns and eye damage
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H331 - Toxic if inhaled
- H351 - Suspected of causing cancer
- H370 - Causes damage to organs
- H402 - Harmful to aquatic life

GHS Precautionary Statements:

P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
 P264 - Wash skin thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER or doctor/physician.
 P322 - Specific measures (see _ on this label).
 P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.
 P361 - Remove/Take off immediately all contaminated clothing.
 P363 - Wash contaminated clothing before reuse.
 P370+378 - In case of fire: Use _ for extinction.
 P403+233 - Store in a well ventilated place. Keep container tightly closed.
 P403+235 - Store in a well ventilated place. Keep cool.
 P405 - Store locked up.
 P501 - Dispose of contents/container to _

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas#	%	Chemical Name
50-00-0		Formaldehyde 37%, 15% menthanol

4 FIRST AID MEASURES

Inhalation: If inhaled, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
Skin Contact: Remove contaminated clothing immediately. Wash with soap and water. Consult a physician.
Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Consult a physician.
Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5 FIRE FIGHTING MEASURES

Suitable extinguishing media
 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture
 Carbon oxides

Advice for firefighters
 Wear self-contained breathing apparatus for firefighting if necessary.

Further information
 No data

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors accumulate in low areas.

Environmental precautions:
Do not let product enter drains.

Methods and materials for containment and cleaning up:

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7 HANDLING AND STORAGE

Handling Precautions: Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing.
Storage Requirements: Keep container tightly closed. Store in cool/dry well ventilated area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equipment: Formaldehyde 37%, 15% menthanol (50-00-0) []
Personal protective equipment
Eye/face protection: Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Full contact: Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested: Camatril (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection: Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Exposure Guidelines

Formaldehyde 37%, 15% menthanol (50-00-0) []

Components with workplace control parameters

C 0.3 ppm USA. ACGIH Threshold Limit Values (TLV)

Eye & Upper Respiratory Tract irritation
Suspected human carcinogen
Sensitizer

TWA 0.016 ppm USA. NIOSH Recommended Exposure Limits

Potential Occupational Carcinogen
See Appendix A

C 0.1 ppm USA. NIOSH Recommended
Exposure Limits

Potential Occupational Carcinogen

See Appendix A

15 minute ceiling value

Substance listed; for more information see OSHA document
1910.1048

Substance listed; for more information see OSHA document
1910.1048

See 1910.1048

PEL 0.75 ppm OSHA Specifically Regulated
Chemicals/Carcinogens

1910.1048

This standard applies to all occupational exposures to formaldehyde,
i.e. from formaldehyde gas, its solutions, and materials that release
formaldehyde

OSHA specifically regulated carcinogen

STEL 2 ppm OSHA Specifically Regulated
Chemicals/Carcinogens

1910.1048

This standard applies to all occupational exposures to formaldehyde,
i.e. from formaldehyde gas, its solutions, and materials that release
formaldehyde

OSHA specifically regulated carcinogen

TWA 0.016 ppm USA. NIOSH Recommended
Exposure Limits

Potential Occupational Carcinogen

Formalin is an aqueous solution that is 37% formaldehyde by
weight; inhibited solutions usually contain 6- 12% methyl alcohol.

Also see specific listings for Formaldehyde and Methyl alcohol.

See Appendix A

C 0.1 ppm USA. NIOSH Recommended
Exposure Limits

Potential Occupational Carcinogen

Formalin is an aqueous solution that is 37% formaldehyde by
weight; inhibited solutions usually contain 6- 12% methyl alcohol.

Also see specific listings for Formaldehyde and Methyl alcohol.

See Appendix A

15 minute ceiling value

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colorless.
Physical State:	Liquid
Odor:	Pungent
Odor Threshold:	No data available
Solubility:	No data available
Spec Grav./Density:	1.016
Viscosity:	No data available
Boiling Point:	No data available
Freezing/Melting Pt.:	No data available
Flash Point:	64 °C (147 °F) - closed cup
Partition Coefficient:	No data available
Vapor Pressure:	69 hPa (52 mmHg) at 37 °C (99 °F)
Vapor Density:	1.04 - (Air = 1.0)

pH: No data available
Evap. Rate: No data available
Auto-Ignition Temp: No data available
Decomp Temp: No data available
UFL/LFL: Upper explosion limit: 73 %(V)

10 STABILITY AND REACTIVITY

Reactivity: No data available
Chemical Stability: Stable under recommended storage conditions.
Conditions to Avoid: Heat, flames and sparks.

11 TOXICOLOGICAL INFORMATION

Formaldehyde 37%, 15% menthanol (50-00-0) []

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: 1 - Group 1: Carcinogenic to humans (Formaldehyde)

NTP: Known to be human carcinogen (Formaldehyde)

OSHA: OSHA specifically regulated carcinogen (Formaldehyde)

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: LP8925000

Liver - Irregularities - Based on Human Evidence

Central nervous system - Breathing difficulties - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence (Formaldehyde)

Stomach - Irregularities - Based on Human Evidence (Methanol)

12 ECOLOGICAL INFORMATION

Formaldehyde 37%, 15% menthanol (50-00-0) []

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

14 TRANSPORT INFORMATION

UN2209, Formaldehyde solutions, with not less than 25 percent formaldehyde, 8, PGIII

15 REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Formaldehyde 37%, 15% menthanol (50-00-0) [n/a%] CERCLA, CSWHS, EHS302, EPCRAWPC, HAP, MASS, NJEHS, NJHS, NRC, OSHAHTS, OSHAPSM, PA, PROP65, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

Regulatory CODE Descriptions

CERCLA = Superfund clean up substance
CSWHS = Clean water Act Hazardous substances
EHS302 = Extremely Hazardous Substance
EPCRAWPC = EPCRA Water Priority Chemicals
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
NJEHS = NJ Extraordinarily Hazardous Substances
NJHS = NJ Right-to-Know Hazardous Substances
NRC = Nationally Recognized Carcinogens
OSHAHTS = OSHA Hazardous and Toxic Substances
OSHAPSM = OSHA Chemicals Requiring process safety management
PA = PA Right-To-Know List of Hazardous Substances
PROP65 = CA Prop 65
SARA313 = SARA 313 Title III Toxic Chemicals
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level
TXHWL = TX Hazardous Waste List

16 OTHER INFORMATION

NFPA: Health = 3, Fire = 2, Reactivity = 0, Specific Hazard = n/a

HMIS III: Health = 3(Chronic), Fire = 2, Physical Hazard = 0



HMIS	
HEALTH	<input checked="" type="checkbox"/> 3
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	<input type="checkbox"/>

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Author: HVC

Publication Date: 6/1/16

Revision No. 1