

1134 W. 850 N. CENTERVILLE, UT 84014 (801) 295-9591 Fax (801) 295-9448

www.hvchemical.com

1

2

Phenolphthalein 1% Solution

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Phenolphthalein 1% Solution

Synonyms: Phenolphthalein 1% in 100% Isopropyl Alcohol, Phenolphthalein pH indicator

SDS Number: R-105

Product Code: 516030-1, 516030-120, 516030-125, 516030-4L, 516030-5, 516030-50, 516030-500

Revision Date: 6/4/2018

Version: 1

Supplier Details: High Valley Products, Inc.

1134 West 850 North Centerville, Utah 84014

Phone: 801-295-9591

Email:sales@hvchemical.comInternet:www.hvchemical.comEmergency:PERS: 800-633-8253

HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Liquids, 2

Health, Serious Eye Damage/Eye Irritation, 2 A

Health, Specific target organ toxicity - Single exposure, 3

Health, Germ cell mutagenicity, 2 Health, Carcinogenicity, 1 B Health, Reproductive toxicity, 2

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER GHS Hazard Pictograms:







GHS Hazard Statements:

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

GHS Precautionary Statements:

P201 - Obtain special instructions before use.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/light/equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash skin thoroughly after handling.

SDS Number: R-105 Page: 1 / 8 Revision Date: 6/4/2018

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P308+313 - IF exposed or concerned: Get medical advice/attention.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313 - Get medical advice/attention.

P370+378 - In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use water spray to cool unopened containers. for extinction.

P403+233 - Store in a well ventilated place. Keep container tightly closed.

P403+235 - Store in a well ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to local regulations.

3

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients			
	CAS#	%	Chemical Name
	67-63-0 77-09-8	99% 1%	Isopropyl alcohol Phenolphthalein

4

FIRST AID MEASURES

Inhalation: If inhaled, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.

Skin Contact: Promptly flush skin with soap water until all chemical is removed.

Eve Contact: Flush with large amounts of water.

Ingestion: If swallowed, wash the mouth with plenty of water and give water to drink. If person is unconscious DO NOT give

anything to drink. DO NOT induce vomiting. Get medical attention.

5

FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Vapors may travel to ignition source. Closed containers exposed to heat may explode.

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data

6

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions:

Do not let product enter drains.

Methods and materials for containment and cleaning up:

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7

HANDLING AND STORAGE

SDS Number: R-105 Page: 2 / 8 Revision Date: 6/4/2018

Handling Precautions: Avoid breathing vapors or mist.

Use adequate ventilation.

Wash thoroughly after handling.

Keep away from sources of ignition.

Storage Requirements: Store in cool/dry well ventilated area. Keep away from incompatible materials.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equipment:

Isopropyl alcohol (67-63-0) [99%]

Personal protective equipment

Eye/face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact: Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril (KCL 730 / Aldrich Z677442, Size M)

Splash contact: Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 60 min Material tested:Dermatril P (KCL 743 / Aldrich Z677388, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection: impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Phenolphthalein (77-09-8) [1%]

Personal protective equipment

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Immersion protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested:Dermatril (Aldrich Z677272, Size M)

Splash protection: Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 30 min Material tested:Dermatril (Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

SDS Number: R-105 Page: 3 / 8 Revision Date: 6/4/2018

Eye protection: Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection: impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Exposure Guidelines

Isopropyl alcohol (67-63-0) [99%]

Components with workplace control parameters

TWA 200 ppm USA. ACGIH Threshold Limit Values

(TLV)

Eye & Upper Respiratory Tract irritation Central Nervous System impairment Not classifiable as a human carcinogen

STEL 400 ppm USA. ACGIH Threshold Limit Values

(TLV)

Eye & Upper Respiratory Tract irritation Central Nervous System impairment Not classifiable as a human carcinogen

TWA 400 ppm USA. OSHA - TABLE Z-1 Limits for

980 mg/m3 Air Contaminants - 1910.1000

STEL 500 ppm USA. OSHA - TABLE Z-1 Limits for

1,225 mg/m3 Air Contaminants - 1910.1000

TWA 400 ppm USA. Occupational Exposure Limits

980 mg/m3 (OSHA) - Table Z-1 Limits for Air

Contaminants

The value in mg/m3 is approximate.

TWA 400 ppm USA. NIOSH Recommended

980 mg/m3 Exposure Limits

ST 500 ppm USA. NIOSH Recommended

1,225 mg/m3 Exposure Limits

Phenolphthalein (77-09-8) [1%]: no data available

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless.

Physical State: Liquid

Odor: Moderate alcohol odor.

Solubility: soluble Specific Gravity or Density: .81

10 STABILITY AND REACTIVITY

Reactivity: Mildly reactive

SDS Number: R-105 Page: 4 / 8 Revision Date: 6/4/2018

Chemical Stability: Stable under normal conditions. **Conditions to** Heat, flames and sparks.

Avoldentification:

Materials to Avoldentification: Aluminum, acids, oxidizing agents, halogenated compounds, acid anhydrides.

Hazardous Decomposition: Carbon oxides.

11

TOXICOLOGICAL INFORMATION

Isopropyl alcohol (67-63-0) [99%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 5,045 mg/kg Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Somnolence (general depressed activity).

LC50 Inhalation - rat - 8 h - 16000 ppm LD50 Dermal - rabbit - 12,800 mg/kg

no data available

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation

Serious eye damage/eye irritation: Eyes - rabbit Result: Eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: NT8050000

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects.

Kidney - Irregularities - Based on Human Evidence

Phenolphthalein (77-09-8) [1%]

Information on toxicological effects

Acute toxicity:
Oral LD50 no data available
Inhalation LC50
Dermal LD50
Other information on acute toxic

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

SDS Number: R-105 Page: 5 / 8 Revision Date: 6/4/2018

Germ cell mutagenicity: In vitro tests showed mutagenic effects

Genotoxicity in vitro - Hamster - ovary Cytogenetic analysis Genotoxicity in vivo - mouse - Oral Micronucleus test

Carcinogenicity:

Carcinogenicity - rat - Oral:

Tumorigenic:Carcinogenic by RTECS criteria, Kidney, Ureter, Bladder;Tumors, Endocrine;Adrenal cortex tumors.

Carcinogenicity - mouse - Oral:

Tumorigenic:Carcinogenic by RTECS criteria. Endocrine:Tumors. Skin and Appendages: Other: Tumors.

Possible human carcinogen

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Phenolphthalein)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: Reasonably anticipated to be a human carcinogen (Phenolphthalein)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Suspected human reproductive toxicant

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):

no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: SM8380000

12

ECOLOGICAL INFORMATION

Isopropyl alcohol (67-63-0) [99%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9.640.00 mg/l - 96 h.

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h.

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h.

EC50 - Algae - > 1,000.00 mg/l - 24 h

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not

SDS Number: R-105 Page: 6/8 Revision Date: 6/4/2018 conducted

Other adverse effects: no data available

Phenolphthalein (77-09-8) [1%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

13

DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

14

TRANSPORT INFORMATION

UN 1219, Isopropyl Alcohol, Solution, 3, PG II

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Isopropyl alcohol (67-63-0) [99%] MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TSCA, TXAIR

Phenolphthalein (77-09-8) [1%] HAP, TSCA



This product can expose you to chemicals including Phenolphthalein, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory CODE Descriptions

MASS = MA Massachusetts Hazardous Substances List NJHS = NJ Right-to-Know Hazardous Substances NRC = Nationally Recognized Carcinogens
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA313 = SARA 313 Title III Toxic Chemicals

TSCA = Toxic Substances Control Act


TXAIR = TX Air Contaminants with Health Effects Screening Level


HAP = Hazardous Air Pollutants

16

OTHER INFORMATION







Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Revision Date: 6/4/2018