



# HI-VALLEY CHEMICAL

## LABORATORY PRODUCTS

1134 W. 850 N.      CENTERVILLE, UT 84014  
(801) 295-9591      Fax (801) 295-9448  
www.hvchemical.com

**SDS**  
Hi Valley Chemical

## Trichloroethylene

1

### PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** Trichloroethylene  
**Synonyms:** Trichloroethene; 1,1,2-Trichloroethylene; 1,1-Dichloro-2-chloroethylene;  
**SDS Number:** R-020  
**Product Code:** 518391-PT, 518391-QT, 518391-1, 518391-5, 518391-660  
**Revision Date:** 6/4/2018  
**Version:** 1.0

**Supplier Details:** High Valley Products, Inc.  
1134 West 850 North  
Centerville, Utah 84014

**Phone:** 801-295-9591  
**Email:** sales@hvchemical.com  
**Internet:** www.hvchemical.com  
**Emergency:** PERS: 800-633-8253

2

### HAZARDS IDENTIFICATION

#### Classification of Substance

##### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Carcinogenicity, 1 B  
Environmental, Hazards to the aquatic environment - Chronic, 3  
Health, Skin corrosion/irritation, 2  
Health, Germ cell mutagenicity, 2  
Health, Specific target organ toxicity - Single exposure, 2  
Health, Serious Eye Damage/Eye Irritation, 2 A  
Health, Acute toxicity, 5 Oral  
Environmental, Hazards to the aquatic environment - Acute, 3

#### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



**GHS Hazard Statements:**

H350 - May cause cancer  
H412 - Harmful to aquatic life with long lasting effects  
H315 - Causes skin irritation  
H341 - Suspected of causing genetic defects  
H371 - May cause damage to organs  
H319 - Causes serious eye irritation  
H303 - May be harmful if swallowed  
H402 - Harmful to aquatic life

**GHS Precautionary Statements:**

P201 - Obtain special instructions before use.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
P273 - Avoid release to the environment.  
P281 - Use personal protective equipment as required.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.  
P308+313 - IF exposed or concerned: Get medical advice/attention.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients		
CAS#	%	Chemical Name
79-01-6	100%	Trichloroethylene

### 4 FIRST AID MEASURES

- Inhalation:** If inhaled, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
- Skin Contact:** Wash with soap and water. Consult a physician.
- Eye Contact:** Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.  
Consult a physician.
- Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5 FIRE FIGHTING MEASURES

Extinguishing media  
Suitable extinguishing media  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Special hazards arising from the substance or mixture  
Carbon oxides, Hydrogen chloride gas  
Advice for firefighters  
Wear self-contained breathing apparatus for firefighting if necessary.  
Further information  
No data available

### 6 ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

**Environmental precautions:**

Do not let product enter drains.

**Methods and materials for containment and cleaning up:**

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 7 HANDLING AND STORAGE

- Handling Precautions:** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors or mist.
- Storage Requirements:** Keep container tightly closed in a dry well ventilated place. Light sensitive.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Personal Protective Equipment:** Trichloroethylene (79-01-6) [100%]  
Personal protective equipment

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash

and dry hands. Immersion protection Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: > 480 min Material tested: Vitoject (Aldrich Z677698, Size M)

Splash protection: Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: > 30 min Material tested: Vitoject (Aldrich Z677698, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection: Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Trichloroethylene (79-01-6) [100%]

#### Components with workplace control parameters

TWA 50 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
270 mg/m<sup>3</sup> 1910.1000

Skin notation

STEL 200 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
1,080 mg/m<sup>3</sup> 1910.1000

Skin notation

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z2  
Z37.19- 1967

CEIL 200 ppm USA. Occupational Exposure Limits (OSHA) - Table Z2  
Z37.19- 1967

Peak 300 ppm USA. Occupational Exposure Limits (OSHA) - Table Z2  
Z37.19- 1967

TWA 10 ppm USA. ACGIH Threshold Limit Values (TLV)  
Central Nervous System impairment cognitive decrement Renal toxicity Suspected human  
carcinogen

STEL 25 ppm USA. ACGIH Threshold Limit Values (TLV)  
Central Nervous System impairment cognitive decrement Renal toxicity Suspected human  
carcinogen  
Potential Occupational Carcinogen See Appendix C See Appendix A

<b>Appearance:</b>	Colorless.
<b>Physical State:</b>	Liquid
<b>Odor:</b>	Sweet
<b>Specific Gravity or Density:</b>	1.463
<b>Boiling Point:</b>	86.7 °C (188.1 °F) -
<b>Freezing or Melting Point:</b>	Melting point/range: -84.8 °C (-120.6 °F)
<b>Partition Coefficient:</b>	log Pow: 2.29log Pow: 5
<b>Vapor Pressure:</b>	81.3 hPa (61.0 mmHg) at 20.0 °C (68.0 °F)
<b>Autoignition Temperature:</b>	410.0 °C (770.0 °F)
<b>Upper Flammability Limit and Lower Flammability Limit:</b>	Upper explosion limit: 10.5 %(V)

<b>Reactivity:</b>	No data available
<b>Chemical Stability:</b>	Stable under normal conditions.
<b>Conditions to Avoid identification:</b>	No data available

Trichloroethylene (79-01-6) [100%]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 4,920 mg/kg

Inhalation LC50 LC50 Inhalation - mouse - 4 h - 8450 ppm

Dermal LD50 LD50 Dermal - rabbit - > 20,000 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation: Skin - rabbit - Severe skin irritation - 24 h

Serious eye damage/eye irritation: Eyes - rabbit - Eye irritation - 24 h

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: Laboratory experiments have shown mutagenic effects. In vitro tests showed mutagenic effects

Carcinogenicity:

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 2A - Group 2A: Probably carcinogenic to humans (Trichloroethylene)

NTP: Reasonably anticipated to be a human carcinogen (Trichloroethylene)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
May cause damage to organs.

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Exposure to and/or consumption of alcohol may increase toxic effects., Gastrointestinal disturbance, Kidney injury may occur., narcosis

Synergistic effects: no data available

Additional Information:

RTECS: KX4550000

## 12

### ECOLOGICAL INFORMATION

Trichloroethylene (79-01-6) [100%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 41 mg/l - 96.0 h.

LOEC - other fish - 11 mg/l - 10.0 d

NOEC - Oryzias latipes - 40 mg/l - 10.0 d

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 18.00 mg/l - 48 h.

and other aquatic invertebrates

Toxicity to algae IC50 - Pseudokirchneriella subcapitata (green algae) - 175.00 mg/l - 96 h.

Persistence and degradability: Bioaccumulative potential:

Does not bioaccumulate.

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 13

### DISPOSAL CONSIDERATIONS

Trichloroethylene (79-01-6) [100%]

Waste treatment methods

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

## 14

### TRANSPORT INFORMATION

UN1710, Trichloroethylene, 6.1, PGIII

Component (CAS#) [%] - CODES


RQ(100LBS), Trichloroethylene (79-01-6) [100%] CERCLA, CSWHS, EPCRAWPC, HAP, HWRCRA, MASS, NJHS, OSHAWAC, PA, PRIPOL, PROP65, SARA313, TOXICPOL, TOXICRCRA, TSCA, TXAIR, TXHWL

**WARNING**

This product can expose you to chemicals including Trichloroethylene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Regulatory CODE Descriptions

RQ = Reportable Quantity  
 CERCLA = Superfund clean up substance  
 CSWHS = Clean water Act Hazardous substances  
 EPCRAWPC = EPCRA Water Priority Chemicals  
 HAP = Hazardous Air Pollutants  
 HWRCRA = RCRA Hazardous wastes  
 MASS = MA Massachusetts Hazardous Substances List  
 NJHS = NJ Right-to-Know Hazardous Substances  
 OSHAWAC = OSHA workplace Air Contaminants  
 PA = PA Right-To-Know List of Hazardous Substances  
 PRIPOL = Clean Water Act Priority Pollutants  
 PROP65 = CA Prop 65  
 SARA313 = SARA 313 Title III Toxic Chemicals  
 TOXICPOL = Clean Water Act Toxic Pollutants  
 TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)  
 TSCA = Toxic Substances Control Act  
 TXAIR = TX Air Contaminants with Health Effects Screening Level  
 TXHWL = TX Hazardous Waste List



HMIS	
HEALTH	<input checked="" type="checkbox"/> <input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
PHYSICAL HAZARD	<input type="checkbox"/>
PERSONAL PROTECTION	<input type="checkbox"/>

PPE

**Disclaimer:**

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

**Author: HVC**

**Publication Date: 10/20/15**

**Revision No. 1.0**

Revision Date: 6/4/2018